



SGS Canada Inc.

P.O. Box 4300 - 185 Concession St.
Lakefield - Ontario - K0L 2H0
Phone: 705-652-2000 FAX: 705-652-6365

Works #: 500038845

Project : PO#126993

02-August-2024

PVNC Catholic DSB (Reg243 - St Thomas Aquinas SS)

Attn : Nicole Teunissen

Date Rec. : 30 July 2024

LR Report: CA85033-JUL24

1355 Lansdowne Street West
Peterborough, ON
K9J 7M3, Canada

Copy: #1

Phone: Office: 705-748-4861 Ext. 1286 Cell: 905-914-7130

Fax:

CERTIFICATE OF ANALYSIS

Final Report

Sample ID	Sample Date & Time	Temperature Upon Receipt °C	Lead ug/L
1: Analysis Start Date		---	02-Aug-24
2: Analysis Start Time		---	08:00
3: Analysis Completed Date		---	02-Aug-24
4: Analysis Completed Time		---	09:26
5: MAC		---	10
6: MDL		---	0.01
7: TAP Standing - H1504 (Beside Elevator) - BF	25-Jul-24 22:00	22.0	0.01
8: TAP Flushed - H1504 (Beside Elevator) - BF	25-Jul-24 22:35	22.0	0.02

MAC - Maximum Acceptable Concentration

MDL - SGS Method Detection Limit

Method Descriptions

Parameter	Description	SGS Method Code
Lead	Lead by ICP-MS Drinking Water	ME-CA-[ENV]SPE-LAK-AN-006

Kimberley Didsbury
Project Specialist,
Environment, Health & Safety



Industries & Environment

Request for Laboratory Services and CHAIN OF CUSTODY - specific SDWA/HPPA (1st Party)

Received By: *Sam Bern*
Received Date: *7-20-24* (mm/dd/yy)
Received Time: *9:45* (hr : min)

Company: Cambium Inc.

Contact: Stew Dolstra
Address: 194 Sophia Street
Peterborough ON K9H 1E5

Phone: 705-742-7900 ext 210 (Stew D)

Fax: Stew.Dolstra@cambium-inc.com
Email: *Joshua.Munro@Cambium-inc.com*

Project #: *11724-001*

As per the Ontario Safe Drinking Water Act and Health Protection and Promotion Act, the water facility information and the sample information sections must be filled out prior to processing samples. Sample source codes indicate whether samples are Reportable or Not Reportable under these acts. The laboratory will report all adverse results as per the applicable regulation and source code.

Please check regulation that applies to water sample submitted

O Reg. 170/03
 O Reg. 319/08
 O Reg. 243/07
 Certificate of Approval Requirement
 Regulated Not Reportable (RNR)
 Required-Uplod sample results in DWIS/LRMA
 Not Regulated (NR)

Invoice Information

System Name: Peterborough Victoria Northumberland and Clarington CDSB (St. Thomas)

Waterworks/DWS#: 500038845

Contact: Cambium Inc. - Stew Dolstra
705-742-7900 ext 210 (StewD) or 705-740-4378 (StewD - cell)

Contact Phone: 260 Angeline Street, Lindsay, Ontario, K9V 4R2, Canada

Physical Address: Office: 705-748-4861 Ext. 1286 Cell: 416-770-5521

Account: accounts@pvnccdsb.on.ca; mamukun@pvnccdsb.on.ca

Contact Fax: 705-742-7907

Contact Email: Stew.Dolstra@cambium-inc.com

MOH Unit: Haliburton, Kawartha, Pine Ridge District

Day Care License #/SEFS# : N/A

Temperature Upon Receipt: *22.0 X3*

Laboratory Received Date: *7-20-24* (mm/dd/yy)

Laboratory Received Time: *9:45* (hr : min)

Client ID#: *Jul-85033*

Turnaround Time (TAT) Required: *3* (days)

TAT's are quoted in business days (exclude statutory holidays & weekends). Samples received after 5pm or on weekends: TAT begins next business day.
 Regular TAT (5-7 days)
 Rush TAT (1-4 days)

Specify Due Date: _____

Received By (Signature): *Sam Bern*

Company: P.V.N.C. Catholic DSB

Contact: Mweni Amukun

Address: 1355 Lansdowne Street West
Peterborough, ON
K9J 7M3

Phone: 705-748-4861 Ext. 1286 Cell: 416-770-5521

Account: accounts@pvnccdsb.on.ca; mamukun@pvnccdsb.on.ca

Office: 705-748-4861 Ext. 1286 Cell: 416-770-5521

Contact Fax: 705-742-7907

Contact Email: Stew.Dolstra@cambium-inc.com

MOH Unit: Haliburton, Kawartha, Pine Ridge District

Day Care License #/SEFS# : N/A

Temperature Upon Receipt: *22.0 X3*

Laboratory Received Date: *7-20-24* (mm/dd/yy)

Laboratory Received Time: *9:45* (hr : min)

Client ID#: *Jul-85033*

Turnaround Time (TAT) Required: *3* (days)

TAT's are quoted in business days (exclude statutory holidays & weekends). Samples received after 5pm or on weekends: TAT begins next business day.
 Regular TAT (5-7 days)
 Rush TAT (1-4 days)

Specify Due Date: _____

Company: Cambium Inc.

Contact: Stew Dolstra

Address: 194 Sophia Street
Peterborough ON K9H 1E5

Phone: 705-742-7900 ext 210 (Stew D)

Fax: Stew.Dolstra@cambium-inc.com
Email: *Joshua.Munro@Cambium-inc.com*

Project #: *11724-001*

As per the Ontario Safe Drinking Water Act and Health Protection and Promotion Act, the water facility information and the sample information sections must be filled out prior to processing samples. Sample source codes indicate whether samples are Reportable or Not Reportable under these acts. The laboratory will report all adverse results as per the applicable regulation and source code.

Please check regulation that applies to water sample submitted

O Reg. 170/03
 O Reg. 319/08
 O Reg. 243/07
 Certificate of Approval Requirement
 Regulated Not Reportable (RNR)
 Required-Uplod sample results in DWIS/LRMA
 Not Regulated (NR)

Invoice Information

System Name: Peterborough Victoria Northumberland and Clarington CDSB (St. Thomas)

Waterworks/DWS#: 500038845

Contact: Cambium Inc. - Stew Dolstra
705-742-7900 ext 210 (StewD) or 705-740-4378 (StewD - cell)

Contact Phone: 260 Angeline Street, Lindsay, Ontario, K9V 4R2, Canada

Physical Address: Office: 705-748-4861 Ext. 1286 Cell: 416-770-5521

Account: accounts@pvnccdsb.on.ca; mamukun@pvnccdsb.on.ca

Contact Fax: 705-742-7907

Contact Email: Stew.Dolstra@cambium-inc.com

MOH Unit: Haliburton, Kawartha, Pine Ridge District

Day Care License #/SEFS# : N/A

Temperature Upon Receipt: *22.0 X3*

Laboratory Received Date: *7-20-24* (mm/dd/yy)

Laboratory Received Time: *9:45* (hr : min)

Client ID#: *Jul-85033*

Turnaround Time (TAT) Required: *3* (days)

TAT's are quoted in business days (exclude statutory holidays & weekends). Samples received after 5pm or on weekends: TAT begins next business day.
 Regular TAT (5-7 days)
 Rush TAT (1-4 days)

Specify Due Date: _____

Company: P.V.N.C. Catholic DSB

Contact: Mweni Amukun

Address: 1355 Lansdowne Street West
Peterborough, ON
K9J 7M3

Phone: 705-748-4861 Ext. 1286 Cell: 416-770-5521

Account: accounts@pvnccdsb.on.ca; mamukun@pvnccdsb.on.ca

Office: 705-748-4861 Ext. 1286 Cell: 416-770-5521

Contact Fax: 705-742-7907

Contact Email: Stew.Dolstra@cambium-inc.com

MOH Unit: Haliburton, Kawartha, Pine Ridge District

Day Care License #/SEFS# : N/A

Temperature Upon Receipt: *22.0 X3*

Laboratory Received Date: *7-20-24* (mm/dd/yy)

Laboratory Received Time: *9:45* (hr : min)

Client ID#: *Jul-85033*

Turnaround Time (TAT) Required: *3* (days)

TAT's are quoted in business days (exclude statutory holidays & weekends). Samples received after 5pm or on weekends: TAT begins next business day.
 Regular TAT (5-7 days)
 Rush TAT (1-4 days)

Specify Due Date: _____

Company: Cambium Inc.

Contact: Stew Dolstra

Address: 194 Sophia Street
Peterborough ON K9H 1E5

Phone: 705-742-7900 ext 210 (Stew D)

Fax: Stew.Dolstra@cambium-inc.com
Email: *Joshua.Munro@Cambium-inc.com*

Project #: *11724-001*

As per the Ontario Safe Drinking Water Act and Health Protection and Promotion Act, the water facility information and the sample information sections must be filled out prior to processing samples. Sample source codes indicate whether samples are Reportable or Not Reportable under these acts. The laboratory will report all adverse results as per the applicable regulation and source code.

Please check regulation that applies to water sample submitted

O Reg. 170/03
 O Reg. 319/08
 O Reg. 243/07
 Certificate of Approval Requirement
 Regulated Not Reportable (RNR)
 Required-Uplod sample results in DWIS/LRMA
 Not Regulated (NR)

Invoice Information

System Name: Peterborough Victoria Northumberland and Clarington CDSB (St. Thomas)

Waterworks/DWS#: 500038845

Contact: Cambium Inc. - Stew Dolstra
705-742-7900 ext 210 (StewD) or 705-740-4378 (StewD - cell)

Contact Phone: 260 Angeline Street, Lindsay, Ontario, K9V 4R2, Canada

Physical Address: Office: 705-748-4861 Ext. 1286 Cell: 416-770-5521

Account: accounts@pvnccdsb.on.ca; mamukun@pvnccdsb.on.ca

Contact Fax: 705-742-7907

Contact Email: Stew.Dolstra@cambium-inc.com

MOH Unit: Haliburton, Kawartha, Pine Ridge District

Day Care License #/SEFS# : N/A

Temperature Upon Receipt: *22.0 X3*

Laboratory Received Date: *7-20-24* (mm/dd/yy)

Laboratory Received Time: *9:45* (hr : min)

Client ID#: *Jul-85033*

Turnaround Time (TAT) Required: *3* (days)

TAT's are quoted in business days (exclude statutory holidays & weekends). Samples received after 5pm or on weekends: TAT begins next business day.
 Regular TAT (5-7 days)
 Rush TAT (1-4 days)

Specify Due Date: _____

Company: P.V.N.C. Catholic DSB

Contact: Mweni Amukun

Address: 1355 Lansdowne Street West
Peterborough, ON
K9J 7M3

Phone: 705-748-4861 Ext. 1286 Cell: 416-770-5521

Account: accounts@pvnccdsb.on.ca; mamukun@pvnccdsb.on.ca

Office: 705-748-4861 Ext. 1286 Cell: 416-770-5521

Contact Fax: 705-742-7907

Contact Email: Stew.Dolstra@cambium-inc.com

MOH Unit: Haliburton, Kawartha, Pine Ridge District

Day Care License #/SEFS# : N/A

Temperature Upon Receipt: *22.0 X3*

Laboratory Received Date: *7-20-24* (mm/dd/yy)

Laboratory Received Time: *9:45* (hr : min)

Client ID#: *Jul-85033*

Turnaround Time (TAT) Required: *3* (days)

TAT's are quoted in business days (exclude statutory holidays & weekends). Samples received after 5pm or on weekends: TAT begins next business day.
 Regular TAT (5-7 days)
 Rush TAT (1-4 days)

Specify Due Date: _____

Company: Cambium Inc.

Contact: Stew Dolstra

Address: 194 Sophia Street
Peterborough ON K9H 1E5

Phone: 705-742-7900 ext 210 (Stew D)

Fax: Stew.Dolstra@cambium-inc.com
Email: *Joshua.Munro@Cambium-inc.com*

Project #: *11724-001*

As per the Ontario Safe Drinking Water Act and Health Protection and Promotion Act, the water facility information and the sample information sections must be filled out prior to processing samples. Sample source codes indicate whether samples are Reportable or Not Reportable under these acts. The laboratory will report all adverse results as per the applicable regulation and source code.

Please check regulation that applies to water sample submitted

O Reg. 170/03
 O Reg. 319/08
 O Reg. 243/07
 Certificate of Approval Requirement
 Regulated Not Reportable (RNR)
 Required-Uplod sample results in DWIS/LRMA
 Not Regulated (NR)

Invoice Information

System Name: Peterborough Victoria Northumberland and Clarington CDSB (St. Thomas)

Waterworks/DWS#: 500038845

Contact: Cambium Inc. - Stew Dolstra
705-742-7900 ext 210 (StewD) or 705-740-4378 (StewD - cell)

Contact Phone: 260 Angeline Street, Lindsay, Ontario, K9V 4R2, Canada

Physical Address: Office: 705-748-4861 Ext. 1286 Cell: 416-770-5521

Account: accounts@pvnccdsb.on.ca; mamukun@pvnccdsb.on.ca

Contact Fax: 705-742-7907

Contact Email: Stew.Dolstra@cambium-inc.com

MOH Unit: Haliburton, Kawartha, Pine Ridge District

Day Care License #/SEFS# : N/A

Temperature Upon Receipt: *22.0 X3*

Laboratory Received Date: *7-20-24* (mm/dd/yy)

Laboratory Received Time: *9:45* (hr : min)

Client ID#: *Jul-85033*

Turnaround Time (TAT) Required: *3* (days)

TAT's are quoted in business days (exclude statutory holidays & weekends). Samples received after 5pm or on weekends: TAT begins next business day.
 Regular TAT (5-7 days)
 Rush TAT (1-4 days)

Specify Due Date: _____

Company: P.V.N.C. Catholic DSB

Contact: Mweni Amukun

Address: 1355 Lansdowne Street West
Peterborough, ON
K9J 7M3

Phone: 705-748-4861 Ext. 1286 Cell: 416-770-5521

Account: accounts@pvnccdsb.on.ca; mamukun@pvnccdsb.on.ca

Office: 705-748-4861 Ext. 1286 Cell: 416-770-5521

Contact Fax: 705-742-7907

Contact Email: Stew.Dolstra@cambium-inc.com

MOH Unit: Haliburton, Kawartha, Pine Ridge District

Day Care License #/SEFS# : N/A

Temperature Upon Receipt: *22.0 X3*

Laboratory Received Date: *7-20-24* (mm/dd/yy)

Laboratory Received Time: *9:45* (hr : min)

Client ID#: *Jul-85033*

Turnaround Time (TAT) Required: *3* (days)

TAT's are quoted in business days (exclude statutory holidays & weekends). Samples received after 5pm or on weekends: TAT begins next business day.
 Regular TAT (5-7 days)
 Rush TAT (1-4 days)

Specify Due Date: _____

Company: Cambium Inc.

Contact: Stew Dolstra

Address: 194 Sophia Street
Peterborough ON K9H 1E5

Phone: 705-742-7900 ext 210 (Stew D)

Fax: Stew.Dolstra@cambium-inc.com
Email: *Joshua.Munro@Cambium-inc.com*

Project #: *11724-001*

As per the Ontario Safe Drinking Water Act and Health Protection and Promotion Act, the water facility information and the sample information sections must be filled out prior to processing samples. Sample source codes indicate whether samples are Reportable or Not Reportable under these acts. The laboratory will report all adverse results as per the applicable regulation and source code.

Please check regulation that applies to water sample submitted

O Reg. 170/03
 O Reg. 319/08
 O Reg. 243/07
 Certificate of Approval Requirement
 Regulated Not Reportable (RNR)
 Required-Uplod sample results in DWIS/LRMA
 Not Regulated (NR)

Invoice Information

System Name: Peterborough Victoria Northumberland and Clarington CDSB (St. Thomas)

Waterworks/DWS#: 500038845

Contact: Cambium Inc. - Stew Dolstra
705-742-7900 ext 210 (StewD) or 705-740-4378 (StewD - cell)

Contact Phone: 260 Angeline Street, Lindsay, Ontario, K9V 4R2, Canada

Physical Address: Office: 705-748-4861 Ext. 1286 Cell: 416-770-5521

Account: accounts@pvnccdsb.on.ca; mamukun@pvnccdsb.on.ca

Contact Fax: 705-742-7907

Contact Email: Stew.Dolstra@cambium-inc.com

MOH Unit: Haliburton, Kawartha, Pine Ridge District

Day Care License #/SEFS# : N/A

Temperature Upon Receipt: *22.0 X3*

Laboratory Received Date: *7-20-24* (mm/dd/yy)

Laboratory Received Time: *9:45* (hr : min)

Client ID#: *Jul-85033*

Turnaround Time (TAT) Required: *3* (days)

TAT's are quoted in business days (exclude statutory holidays & weekends). Samples received after 5pm or on weekends: TAT begins next business day.
 Regular TAT (5-7 days)
 Rush TAT (1-4 days)

Specify Due Date: _____

Company: P.V.N.C. Catholic DSB

Contact: Mweni Amukun

Address: 1355 Lansdowne Street West
Peterborough, ON
K9J 7M3

Phone: 705-748-4861 Ext. 1286 Cell: 416-770-5521

Account: accounts@pvnccdsb.on.ca; mamukun@pvnccdsb.on.ca

Office: 705-748-4861 Ext. 1286 Cell: 416-770-5521

Contact Fax: 705-742-7907

Contact Email